

Constant

5.5 8100 1.530 - 6.3





PubMed	Nucleotide	Protein	Genome	Structure	PopSet	Taxonomy	OMIM	Books
Search Put	oMed ▼ for	recepto	rs and fil	oronectin a	and edb		Preview	Go
Clear	Limi	ts Prev	iew/Index	History	Clipboard	Details		

- Search History will be lost after one hour of inactivity.
- To combine searches use # before search number, e.g., #2 AND #6.
- Search numbers may not be continuous; all searches are represented.

Search	Most Recent Queries	Time	Result
#54 Se	earch receptors and fibronectin and edb	09:48:11	<u>3</u>
#53 Se	earch receptors and fibronectin	09:47:57	_
#52 Se	earch chen jc and fibronectin	09:47:43	<u>0</u>
#51 Se	earch chen jc and alpha	09:47:15	<u>27</u>
#50 Se	earch chen jc and edb	09:47:09	<u>0</u>
#49 Se	earch chen jc	09:46:26	<u>406</u>
#48 Se	earch chen jc and vla	09:46:21	<u>0</u>
#47 Se	earch chen and vla	09:45:56	<u>0</u>
#46 Se	earch Heidaran and vla	09:42:04	<u>o</u>
#45 S€	arch <b>Heidaran</b>	09:41:39	<u>47</u>
#44 Se	arch Heidaran and fibronectin	09:41:37	$\overline{0}$
#43 Se	arch Spiro and fibronectin	09:40:42	<u>17</u>
#42 Se	arch Spiro and edb	09:40:32	0
#41 Se	arch Spiro	09:40:25	<u>3485</u>
#39 Se	arch vla and isolate	09:29:54	7
#38 Se	arch alpha2 beta1 and isolate	09:29:35	<u>2</u>
#36 Se	arch alpha2 beta1 and purify	09:28:45	<u>1</u>
#33 Se	arch vla-2 and purify	09:28:39	<u>O</u>
#35 Se	arch alpha2beta1 and purify	09:28:37	<u>0</u>
#34 Se	arch vla and purify	09:28:27	$\underline{0}$
#32 Se	arch alpha2 and purify	09:28:05	<u>9</u>
#31 Se	arch alpha2 and isolate	09:27:45	<u>20</u>
#29 Se	arch Staatz and alpha	09:24:21	<u>7</u>
#28 Se	arch Gulberg and alpha	09:23:42	<u>0</u>
#27 Se	arch Santoro and 1988 and alpha	09:22:54	<u>5</u>
#26 Se	arch Santoro and 1988	09:22:40	<u>121</u>
#24 <b>Re</b>	lated Articles for PubMed (Select 2019571)	09:18:21	<u>133</u>
#21 Sea	arch Staatz and alpha and 1991	09:16:55	<u>3</u>
#20 Sea	arch Staatz	09:16:44	<u>59</u>

#14 Related Articles for PubMed (Select 8344274)	08:21:05	236
#12 Search Kern and alpha and 1993	08:18:00	7
#11 Search Kern and alpha	08:17:29	174
#10 Search Kern	08:17:22	4228
#8 Search edb and integrin	08:04:15	6
#7 Search renato and cell	08:01:24	<u>6</u>
#6 Search renato and endothelial	08:01:18	<u>0</u>
#5 Search renato and endothelia	08:01:11	<u>0</u>
#4 Search renato and beta	08:01:00	0
#3 Search renato and alpha	08:00:50	0
#2 Search renato	08:00:41	<u>50</u>
#1 Search renato and integrin	08:00:40	<u>0</u>

Clear History

Write to the Help Desk

NCBI | NLM | NIH

Department of Health & Human Services

Freedom of Information Act | Disclaimer

## WEST

**End of Result Set** 

Generate Collection

**Print** 

L4: Entry 5 of 5

File: DWPI

Jun 17, 1992

Gakyen F, Hein GF, otsuku

DERWENT-ACC-NO: 1992-253398

DERWENT-WEEK: 199231

COPYRIGHT 2002 DERWENT INFORMATION LTD

TITLE: Monoclonal antibody to fragment ED-B of fibronectin - for determining fibronectin in cancerous tissue

PRIORITY-DATA: 1990JP-0295820 (October 31, 1990)

PATENT-FAMILY:

PUB-NO

PUB-DATE

LANGUAGE

PAGES

MAIN-IPC

JP 04169195 A

June 17, 1992

017

C12P021/08

INT-CL (IPC): A61K 39/395; C07K 7/10; C07K 99/00; C12N 5/20; C12N 15/06; C12N 15/62; C12P 21/02; C12P 21/08; C12R 1/19; C12R 1/91; G01N 33/574; G01N 33/577

ABSTRACTED-PUB-NO: JP04169195A BASIC-ABSTRACT:

Anti ED-B monoclonal antibody recognising 91 aminoacid sequence of ED-B is new. Glu-Val-Pro-Gln-Leu-Thr-Asp-Leu-Ser-Phe- Val-Asp-Ile-Thr- Asp-Ser-Ser-Ile- Gly-Leu-Arg-Trp-Thr-Pro- Leu-Ass-Ser-Ser- Thr-Ile- Ile-Gly-Tyr-Arg- Ile-Thr-Val-Val-Ala-Ala- Gly-Glu-Gly-Ile- Pro-Ile-Phe-Gl u- Asp-Phe- Val-Asp-Ser-Ser-Val-Gly-Tyr-Tyr- Thr-Val- Thr-Gly-Leu-Glu- Pro-Gly-Ile-Asp- Tyr-Asp-Ile-Ser-Val-Ile- Thr-Leu-Ile-Asn- Gly-Gly- Glu-Ser-Ala-Pro- Thr-Thr-Leu-Thr-Gln-Gln- Thr. Also claimed is an anti ED-B monoclonal antibody recognising aminoacid sequence of ED-B which is obtd. by means of ED-B region 91 aminoacids protein A fused protein as immunity source.

USE - Anti ED-B monoclonal antibody is a new monoclonal antibody to fibronectin (FN) partic. the FN contained in cancerous tissue. The antibody recognises ED-B specifically and has reaction specificity to cancerous  $\widehat{FN}$ . So, the antibody is useful as a tracer in determination of immunogen and cancerous FN.

ABSTRACTED-PUB-NO: JP04169195A EQUIVALENT-ABSTRACTS:

CHOSEN-DRAWING: Dwg.0/0